

2. Mathematics with Maple: the Basics

2.1 Introduction

```
|> 1 + 2;  
|  
|> 1 + 3/2;  
|  
|> 2*(3+1/3) / (5/3-4/5);  
|  
|> 2.8754/2;  
|  
|> 1 + 1/2;
```

3

$\frac{5}{2}$

$\frac{100}{13}$

1.437700000

$\frac{3}{2}$

2.2 Numerical Computations

Integer computations

```
|> 1 + 2;  
|  
|> 75 - 3;
```

3

72

Exact Arithmetic - Rationals, Irrationals and Constants

$$\left| > \frac{1}{2} + \frac{1}{3}; \right.$$

```
|> Pi;  
|  
|> evalf(Pi, 100);  
3.14159265358979323846264338327950288419716939937510\  
|  
|> 1/3;  
|  
|> evalf(%);  
|  
|> 3/2^5;  
|  
|> 1.5^5;  
|  
|> sqrt(2);  
|  
|> sqrt(3)^2;  
|  
|> Pi;  
|  
|> sin(Pi);  
|  
|> exp(1);  
|
```

```
|> ln(exp(5));  
|> 5
```

Floating-Point Approximations

```
|> evalf(Pi);  
|> evalf(Pi, 200);  
3.14159265358979323846264338327950288419716939937510\  
5820974944592307816406286208998628034825342117067982\  
1480865132823066470938446095505822317253594081284811\  
174502841027019385211055596446229489549303820  
|> 1/3 + 1/4 + 1/5.3;  
.7720125786  
|> sin(0.2);  
.1986693308  
|> Digits := 20;  
Digits := 20  
|> sin(0.2);  
.19866933079506121546
```

Arithmetic with Special Numbers

```
|> (2 + 5*I) + (1 - I);  
|> 3 + 4 I  
|> (1 + I) / (3 - 2*I);
```

```

||           $\frac{1}{13} + \frac{5}{13} I$ 
||> convert(247, binary);
||          11110111
||> convert(1023, hex);
||          3FF
||> convert(17, base, 3);
||          [2, 2, 1]
||> 27 mod 4;
||          3
||> mods(27, 4);
||          -1
||> modp(27, 4);
||          3

```

Mathematical Functions

```

||> sin(Pi/4);
||           $\frac{1}{2}\sqrt{2}$ 
||> ln(1);
||          0
||> ln(Pi);
||          ln( $\pi$ )

```

2.3 Basic Symbolic Computations

```
|> (1 + x)^2;
|                                 $(1+x)^2$ 
|> (1 + x) + (3 - 2*x);
|                                 $4-x$ 
|> expand( (1 + x)^2 );
|                                 $1+2x+x^2$ 
|> factor(%);
|                                 $(1+x)^2$ 
|> Diff(sin(x), x);
|                                 $\frac{\partial}{\partial x} \sin(x)$ 
|> value(%);
|                                 $\cos(x)$ 
|> Sum(n^2, n);
|                                 $\sum_n n^2$ 
|> value(%);
|                                 $\frac{1}{3}n^3 - \frac{1}{2}n^2 + \frac{1}{6}n$ 
|> rem(x^3+x+1, x^2+x+1, x);
|                                 $2+x$ 
```

```

> series(sin(x), x=0, 10);

$$x - \frac{1}{6}x^3 + \frac{1}{120}x^5 - \frac{1}{5040}x^7 + \frac{1}{362880}x^9 + O(x^{10})$$


```

2.4 Assigning Names to Expressions

General syntax: name := expression;

```

> var := x;

$$var := x$$

> term := x*y;

$$term := x y$$

> eqns := x = y + 2;

$$eqns := x = y + 2$$


```

Defining functions


```

> f := x -> 2*x^2 - 3*x + 4;

$$f := x \rightarrow 2x^2 - 3x + 4$$


```

```
|> plot(f(x), x = -5 .. 5);
```



```
|> f := x-> x^2;
```

$$f := x \rightarrow x^2$$

```
|> f(5);
```

$$25$$

```
|> f(y+1);
```

$$(y + 1)^2$$

Protected Names

```
|> Pi := 3.14;  
Error, attempting to assign to 'Pi' which is protected  
|> set := {1, 2, 3};  
Error, attempting to assign to 'set' which is  
protected
```

2.5 More Basic Types of Maple Objects

Expression Sequences

```
|> 1, 2, 3, 4;  
1, 2, 3, 4  
|> x, y, z, w;  
x, y, z, w  
|> a.b;  
ab  
|> S := 1, 2, 3, 4;  
S := 1, 2, 3, 4  
|> a.S;  
a1, a2, a3, a4
```

Lists

```
|> data_list := [1, 2, 3, 4, 5];  
data_list := [1, 2, 3, 4, 5]
```

```

|> polynomials := [x^2+3, x^2+3*x-1, 2*x];
      polynomials := [x2 + 3, x2 + 3 x - 1, 2 x]
|> participants := [Kathy, Frank, Rene,
      Niklaus, Liz];
      participants := [Kathy, Frank, Rene, Niklaus, Liz]
|> [a,b,c], [b,c,a], [a,a,b,c,a];
      [a, b, c], [b, c, a], [a, a, b, c, a]
|> letters := [a,b,c];
      letters := [a, b, c]
|> letters[2];
      b
|> nops(letters);
      3
|> op(letters);
      a, b, c
|> letters[];
      a, b, c

```

Sets

```

|> data_set := {1, -1, 0, 10, 2};
      data_set := {0, -1, 1, 2, 10}
|> unknowns := {x, y, z};
      unknowns := {y, x, z}

```

```

|> {a,b,c}, {c,b,a}, {a,a,b,c,a};
|> {a,b,c}, {a,b,c}, {a,b,c}
|> {1,2,2.0};
|> {1,2,2.0}
|> {a,b,c} union {c,d,e};
|> {a,b,c,d,e}
|> {1,2,3,a,b,c} intersect {0,1,y,a};
|> {1,a}
|> nops(%);
|> op( {1,2,3,a,b} );
|> 1,2,3,a,b
|> numbers := {0, Pi/3, Pi/2, Pi};
|> numbers := {0,  $\pi$ ,  $\frac{1}{3}\pi$ ,  $\frac{1}{2}\pi$ }
|> map(g, numbers);
|> {g(0), g( $\pi$ ), g( $\frac{1}{3}\pi$ ), g( $\frac{1}{2}\pi$ )}
|> map(sin, numbers);
|> {0, 1,  $\frac{1}{2}\sqrt{3}$ }

```

Operations on Sets and Lists

```
|> participants := [Kate, Tom, Steve];
          participants := [Kate, Tom, Steve]
|> member(Tom, participants);
          true
|> data_set := {5, 6, 3, 7};
          data_set := {3, 5, 6, 7}
|> member(2, data_set);
          false
|> participants := [Kate, Tom, Steve];
          participants := [Kate, Tom, Steve]
|> participants[2];
          Tom
|> empty_set := {};
          empty_set := {}
|> empty_list := [];
          empty_list := []
|> old_set := {2, 3, 4} union {};
          old_set := {2, 3, 4}
|> new_set := old_set union {2, 5};
          new_set := {2, 3, 4, 5}
|> third_set := old_set minus {2, 5};
          third_set := {3, 4}
```

Arrays

```

> squares := array(1..3);
          squares := array(1 .. 3, [ ])
> squares[1] := 1; squares[2] := 2^2;
          squares[3] := 3^2;
          squares1 := 1
          squares2 := 4
          squares3 := 9
> cubes := array(1..3, [1,8,27]);
          cubes := [1, 8, 27]
> squares[2];
          4
> squares;
          squares
> print(squares);
          [1, 4, 9]
> pwrs := array(1..3, 1..3);
          pwrs := array(1 .. 3, 1 .. 3, [ ])
> pwrs[1,1] := 1; pwrs[1,2] := 1; pwrs[1,3]
          := 1;
          pwrs1,1 := 1
          pwrs1,2 := 1
          pwrs1,3 := 1

```

```

|> pwrs[2,1] := 2: pwrs[2,2] := 4: pwrs[2,3]
|   := 8:
|> pwrs[3,1] := 3: pwrs[3,2] := 9: pwrs[3,3]
|   := 27:
|> print(pwrs);
|
|> pwrs[2,3];
|
|>                                         8

```

The `array3 := array(1..2 ...` example causes the Maple interface under NT to crash (sigh) ...

The subs Command

General syntax: `subs(x=expr1, y=expr2, ... main expr);`

```
|> expr := z^2 + 3;  
|> subs(z=x+y, expr);  
|(x + y)^2 + 3
```

```
|> subs(2=9, pwrs);  
|> subs(2=9, evalm(pwrs));  
|[ 1  1  1 ]  
|[ 9  4  8 ]  
|[ 3  9  27 ]  
|> evalm(pwrs);  
|[ 1  1  1 ]  
|[ 2  4  8 ]  
|[ 3  9  27 ]
```

Tables (Associative Arrays)

```
|> translate :=  
|  table([one=un,two=deux,three=trois]);  
translate := table([  
|  one = un  
|  three = trois  
|  two = deux  
|  ])  
|> translate[two];  
|  
|  deux  
|> Digits := 10;  
|  
|  Digits := 10
```

```
|> earth_data := table(  
|  [mass=[5.976*10^24,kg],  
>    radius=[6.378164*10^6,m],  
>    circumference=[4.00752*10^7,m]]);  
earth_data := table([  
|  mass = [.5976000000 1025, kg]  
|  radius = [.6378164000 107, m]
```

```

    circumference = [.4007520000 108, m]
  ])
  > earth_data [mass];
                [.5976000000 1025, kg]

```

2.6 Expression Manipulation

The `simplify` Command

```

> expr := cos(x)5 + sin(x)4 + 2*cos(x)2
> - 2*sin(x)2 - cos(2*x);
      expr := cos(x)5 + sin(x)4 + 2 cos(x)2 - 2 sin(x)2 - cos(2 x)
> simplify(expr);
                  cos(x)5 + cos(x)4
> simplify(sin(x)2 + ln(2*y) + cos(x)2);
                  1 + ln(2) + ln(y)
> simplify(sin(x)2 + ln(2*y) + cos(x)2,
  'trig');
                  1 + ln(2 y)
> simplify(sin(x)2 + ln(2*y) + cos(x)2,
  'ln');
                  sin(x)2 + ln(2) + ln(y) + cos(x)2

```

The `siderel` example gives a different result in Maple V.5

The factor Command

```
|> big_poly := x^5 - x^4 - 7*x^3 + x^2 + 6*x;  
|> factor(big_poly);  
|> rat_expr := (x^3 - y^3) / (x^4 - y^4);  
|> factor(rat_expr);
```

$$\frac{x^3 - y^3}{x^4 - y^4}$$
$$\frac{y^2 + xy + x^2}{(x+y)(x^2+y^2)}$$

The expand Command

```
|> expand((x+1)*(x+2));  
|> expand(sin(x+y));  
|> expand(exp(a+ln(b)));  
|> expand((x+1)*(y+z), x+1);
```

$$x^2 + 3x + 2$$
$$\sin(x)\cos(y) + \cos(x)\sin(y)$$
$$\mathbf{e}^a b$$
$$(x+1)y + (x+1)z$$

The convert Command

```
|> convert(cos(x), exp);  
|  
|
$$\frac{1}{2} e^{Ix} + \frac{1}{2} \frac{1}{e^{Ix}}$$
  
|> convert(exp(x)/2 + exp(-x)/2, trig);  
|  
|
$$\cosh(x)$$
  
|> A := array(1..2, 1..2, [[a,b], [c,d]]);  
|  
|
$$A := \begin{bmatrix} a & b \\ c & d \end{bmatrix}$$
  
|> convert(A, 'listlist');  
|  
|
$$[[a, b], [c, d]]$$
  
|> convert(A, 'set');  
|  
|
$$\{a, b, c, d\}$$
  
|> convert(% , list);  
|  
|
$$[a, b, c, d]$$

```

The normal Command

```
|> rat_expr_2 := (x^2 - y^2)/(x - y)^3;  
|  
|  
|  
|> normal(rat_expr_2);  
|  
|  
|  
|> normal(rat_expr_2, 'expanded');  
|  
|  
|
```

$$\begin{aligned}rat_expr_2 &:= \frac{x^2 - y^2}{(x - y)^3} \\&= \frac{x + y}{(-x + y)^2} \\&= \frac{x + y}{x^2 - 2xy + y^2}\end{aligned}$$

The combine Command

```
|> combine(exp(x)^2*exp(y), exp);  
|  
|  
|> combine((x^a)^2, power);  
|  
|
```

$$\begin{aligned}&\mathbf{e}^{(2x+y)} \\&x^{(2a)}\end{aligned}$$

The `expr := ... combine(expr) ...` example does not work
as advertised in Maple V.5

The `map` Command

Be careful to "reset" the symbol `f`

```
|> f := 'f';
|                                     f:=f
|> map( f, [a,b,c] );
|                                     [f(a),f(b),f(c)]
|> data_list := [0, Pi/2, 3*Pi/2, 2*Pi];
|                                     data_list := [0,  $\frac{1}{2}\pi$ ,  $\frac{3}{2}\pi$ ,  $2\pi$ ]
|> map(sin,data_list);
|                                     [0, 1, -1, 0]
|> map(f, [a,b,c], x, y);
|                                     [f(a,x,y),f(b,x,y),f(c,x,y)]
|> fcn_list := [sin(x), ln(x), x^2];
|                                     fcn_list := [sin(x), ln(x),  $x^2$ ]
|> map(Diff,fcn_list,x);
|                                     [ $\frac{\partial}{\partial x}\sin(x)$ , $\frac{\partial}{\partial x}\ln(x)$ , $\frac{\partial}{\partial x}x^2$ ]
|> map(value,%);
|                                     [cos(x),  $\frac{1}{x}$ ,  $2x$ ]
|> map(x->x^2, [-1,0,1,2,3]);
|                                     [1, 0, 1, 4, 9]
```

The `lhs` and `rhs` Commands

```
|> eqn1 := x+y=z+3;  
|> lhs(eqn1);  
|> rhs(eqn1);
```

$$\begin{aligned} & eqn1 := x + y = z + 3 \\ & x + y \\ & z + 3 \end{aligned}$$

The `numer` and `denom` Commands

```
|> numer(3/4);  
|> denom(1/(1+x));
```

$$\begin{aligned} & 3 \\ & x + 1 \end{aligned}$$

The nops and op Commands

```
|> nops(x^2);  
|> nops(x+y);  
|> op(x^2);  
|> op(1, x^2);  
|> op(2, x^2);  
|> op(1..2, x+y+z+w);  
|>
```

Common Questions about Expression Manipulation

```
|> expr := a^3*b^2;
|                                expr :=  $a^3 b^2$ 
|> subs(a*b=5,expr);
|                                 $a^3 b^2$ 
|> simplify(expr, {a*b=5});
|                                 $25 a$ 
|> expr2 := cos(x)*(sec(x) - cos(x));
|                                expr2 :=  $\cos(x) (\sec(x) - \cos(x))$ 
|> simplify(%);
|                                 $1 - \cos(x)^2$ 
|> simplify(%,{1-cos(x)^2=sin(x)^2});
|                                 $\sin(x)^2$ 
|> x^19 - x;
|                                 $x^{19} - x$ 
|> factor(%);
|                                 $x(x - 1)(x^2 + x + 1)(x^6 + x^3 + 1)(x + 1)(1 - x + x^2)$ 
|                                 $(1 - x^3 + x^6)$ 
|> 2*(x + y);
|                                 $2 x + 2 y$ 
|> expr3 := 2*(x + y);
|                                expr3 :=  $2 x + 2 y$ 
|> subs(2=two,expr3);
|                                 $x \text{two} + y \text{two}$ 
```

```
|> factor(%);  
|> two (x+y)
```