

2. Mathematics with Maple: the Basics

2.1 Introduction

```
|> 1 + 2;
|                                3
|> 1 + 3/2;
|                                5
|                                -
|                                2
|> 2*(3+1/3)/(5/3-4/5);
|                                100
|                                -
|                                13
|> 2.8754/2;
|                                1.437700000
|> 1 + 1/2;
|                                3
|                                -
|                                2
```

2.2 Numerical Computations

Integer computations

```
|> 1 + 2;
|                                3
|> 75 - 3;
|                                72
|> 5*3;
```

Exact Arithmetic - Rationals, Irrationals and Constants

$\| > 1/2 + 1/3;$

$\| > \pi;$

```
|> evalf(Pi, 100);  
3.14159265358979323846264338327950288419716939937\  
|> 5105820974944592307816406286208998628034825342117\  
|> 068  
|> 1/3;  
|> evalf(%);  
|> .3333333333  
|> 3/2^5;  
|> 15  
|> 2  
|> 1.5^5;  
|> 7.5  
|> sqrt(2);  
|> √2  
|> sqrt(3)^2;  
|> 3  
|> Pi;  
|> π  
|> sin(Pi);  
|> 0  
|> exp(1);  
|> e  
|> ln(exp(5));  
|> 5
```

Floating-Point Approximations

```
> evalf(Pi);
                                3.141592654
> evalf(Pi, 200);
3.14159265358979323846264338327950288419716939937\
      5105820974944592307816406286208998628034825342117\
      0679821480865132823066470938446095505822317253594\
      0812848111745028410270193852110555964462294895493\
      03820
> 1/3 + 1/4 + 1/5.3;
                                .7720125786
> sin(0.2);
                                .1986693308
> Digits := 20;
                                Digits := 20
> sin(0.2);
                                .19866933079506121546
```

Arithmetic with Special Numbers

```

|> (2 + 5*I) + (1 - I);
      3 + 4 I
|> (1 + I) / (3 - 2*I);
      1
      +
      5
      -
      13
      +
      13 I

```

```
|> convert(247, binary);  
|> convert(1023, hex);  
|> convert(17, base, 3);  
|> 27 mod 4;  
|> mods(27, 4);  
|> modp(27, 4);
```

Mathematical Functions

```
|> sin(Pi/4);  
|> ln(1);  
|> ln(Pi);
```

2.3 Basic Symbolic Computations

```
|> (1 + x)^2;  
|  
|> (1 + x) + (3 - 2*x);  
|  
|> expand( (1 + x)^2);  
|  
|> factor(%);  
|  
|> Diff(sin(x), x);  
|  
|> value(%);  
|  
|> Sum(n^2, n);  
|  
|> value(%);  
|  
|> rem(x^3+x+1, x^2+x+1, x);  
|
```

$$(1+x)^2$$
$$4-x$$
$$1+2x+x^2$$
$$(1+x)^2$$
$$\frac{\partial}{\partial x} \sin(x)$$
$$\cos(x)$$
$$\sum_n n^2$$
$$\frac{1}{3}n^3 - \frac{1}{2}n^2 + \frac{1}{6}n$$
$$2+x$$

```
|> series(sin(x), x=0, 10);

$$x - \frac{1}{6}x^3 + \frac{1}{120}x^5 - \frac{1}{5040}x^7 + \frac{1}{362880}x^9 + O(x^{10})$$

```

2.4 Assigning Names to Expressions

General syntax: name := expression;

```
|> var := x;

$$var := x$$

|> term := x*y;

$$term := xy$$

|> eqns := x = y + 2;

$$eqns := x = y + 2$$

```


Defining functions

```
|> f := x -> 2*x^2 - 3*x + 4;

$$f := x \rightarrow 2x^2 - 3x + 4$$

```

```
|> plot(f(x), x = -5 .. 5);
```



```
|> f := x-> x^2;
```

$$f := x \rightarrow x^2$$

```
|> f(5);
```

$$25$$

```
|> f(y+1);
```

$$(y+1)^2$$

Protected Names

```
|> set := {1, 2, 3};  
Error, attempting to assign to `set` which is  
protected
```

2.5 More Basic Types of Maple Objects

Expression Sequences

```
|> 1, 2, 3, 4;  
1,2,3,4  
|> x, y, z, w;  
x,y,z,w  
|> a||b;  
ab  
|> S := 1, 2, 3, 4;  
S := 1,2,3,4  
|> a||S;  
a1,a2,a3,a4
```

Lists

```
|> data_list := [1, 2, 3, 4, 5];  
data_list := [1,2,3,4,5]
```

```
|> polynomials := [x^2+3, x^2+3*x-1, 2*x];  
polynomials := [x^2 + 3, x^2 + 3 x - 1, 2 x]
```

```

|> participants := [Kathy, Frank, Rene,
|> Niklaus, Liz];
      participants := [Kathy, Frank, Rene, Niklaus, Liz]
|> [a,b,c], [b,c,a], [a,a,b,c,a];
      [a, b, c], [b, c, a], [a, a, b, c, a]
|> letters := [a,b,c];
      letters := [a, b, c]
|> letters[2];
      b
|> nops(letters);
      3
|> op(letters);
      a, b, c
|> letters[];
      a, b, c

```

Sets

```

|> data_set := {1, -1, 0, 10, 2};
      data_set := {-1, 0, 1, 2, 10}
|> unknowns := {x, y, z};
      unknowns := {x, y, z}

```

```

|> {a,b,c}, {c,b,a}, {a,a,b,c,a};
      {a, b, c}, {a, b, c}, {a, b, c}
|> {1,2,2.0};

```

```

          { 1,2,2.0 }

> {a,b,c} union {c,d,e};
          {a,b,c,d,e}

> {1,2,3,a,b,c} intersect {0,1,y,a};
          { 1,a }

> nops (%);
          2

> op( {1,2,3,a,b} );
          1,2,3,a,b

> numbers := {0, Pi/3, Pi/2, Pi};
          numbers := {0, π,  $\frac{1}{3}\pi$ ,  $\frac{1}{2}\pi$ }

> map(g, numbers);
          {g( $\frac{1}{2}\pi$ ),g( $\frac{1}{3}\pi$ ),g(0),g(π)}

> map(sin, numbers);
          {0,1, $\frac{1}{2}\sqrt{3}$ }

```

Operations on Sets and Lists

```
|> participants := [Kate, Tom, Steve];
|          participants := [Kate, Tom, Steve]
|> member(Tom, participants);
|          true
|> data_set := {5, 6, 3, 7};
|          data_set := {3, 5, 6, 7}
|> member(2, data_set);
|          false
|> participants := [Kate, Tom, Steve];
|          participants := [Kate, Tom, Steve]
|> participants[2];
|          Tom
|> empty_set := {};
|          empty_set := {}
|> empty_list := [];
|          empty_list := []
|> old_set := {2, 3, 4} union {};
|          old_set := {2, 3, 4}
|> new_set := old_set union {2, 5};
|          new_set := {2, 3, 4, 5}
|> third_set := old_set minus {2, 5};
|          third_set := {3, 4}
```

Arrays

```
> squares := array(1..3);
          squares := array(1 .. 3, [ ])
> squares[1] := 1; squares[2] := 2^2;
          squares[3] := 3^2;
          squares1 := 1
          squares2 := 4
          squares3 := 9
> cubes := array(1..3, [1,8,27]);
          cubes := [1,8,27]
> squares[2];
          4
> squares;
          squares
> print(squares);
          [1,4,9]
> pwrs := array(1..3, 1..3);
          pwrs := array(1 .. 3, 1 .. 3, [ ])
> pwrs[1,1] := 1; pwrs[1,2] := 1; pwrs[1,3]
          := 1;
          pwrs1,1 := 1
          pwrs1,2 := 1
          pwrs1,3 := 1
```

```

|> pwrs[2,1] := 2: pwrs[2,2] := 4: pwrs[2,3]
|   := 8:
|> pwrs[3,1] := 3: pwrs[3,2] := 9: pwrs[3,3]
|   := 27:
|> print(pwrs);
|
|> pwrs[2,3];

```

$$\begin{bmatrix} 1 & 1 & 1 \\ 2 & 4 & 8 \\ 3 & 9 & 27 \end{bmatrix}$$

8

The array3 := array(1..2 ... example may cause the
 Maple interface under NT to crash

The `subs` Command

General syntax: `subs(x=expr1, y=expr2, ... main expr);`

```
|> expr := z^2 + 3;  
|> subs(z=x+y, expr);  
|>
```

```
|> subs(2=9, pwrs);  
|> subs(2=9, evalm(pwrs));  
|>  
|> evalm(pwrs);  
|>
```

$$\begin{bmatrix} 1 & 1 & 1 \\ 9 & 4 & 8 \\ 3 & 9 & 27 \end{bmatrix}$$
$$\begin{bmatrix} 1 & 1 & 1 \\ 2 & 4 & 8 \\ 3 & 9 & 27 \end{bmatrix}$$

Tables (Associative Arrays)

```
|> translate :=  
|  table([one=un,two=deux,three=trois]);  
|      translate := table([three=trois, two = deux, one = un])  
|> translate[two];  
|      deux  
|> Digits := 10;  
|      Digits := 10
```

```
|> earth_data := table(  
|  [mass=[5.976*10^24,kg],  
>    radius=[6.378164*10^6,m],  
>    circumference=[4.00752*10^7,m]);  
|  earth_data := table([circumference = [.4007520000 108,m],  
|  mass = [.5976000000 1025,kg],  
|  radius = [.6378164000 107,m]  
|  ])  
|> earth_data[mass];  
|      [.5976000000 1025,kg]
```

2.6 Expression Manipulation

The `simplify` Command

```
> expr := cos(x)^5 + sin(x)^4 + 2*cos(x)^2  
> - 2*sin(x)^2 - cos(2*x);  
expr:=cos(x)5+sin(x)4+2 cos(x)2-2 sin(x)2-cos(2 x)  
> simplify(expr);  
cos(x)5+cos(x)4  
> simplify(sin(x)^2 + ln(2*y) + cos(x)^2);  
1+ln(2)+ln(y)  
> simplify(sin(x)^2 + ln(2*y) + cos(x)^2,  
'trig');  
1+ln(2 y)  
> simplify(sin(x)^2 + ln(2*y) + cos(x)^2,  
'ln');  
sin(x)2+ln(2)+ln(y)+cos(x)2
```

The `sideref` example gives a different result in Maple V.5 / Maple 6

The `factor` Command

```
|> big_poly := x^5 - x^4 - 7*x^3 + x^2 + 6*x;  
|  
|          big_poly :=  $x^5 - x^4 - 7x^3 + x^2 + 6x$   
|> factor(big_poly);  
|  
|           $x(x-1)(x-3)(x+2)(x+1)$   
|> rat_expr := (x^3 - y^3) / (x^4 - y^4);  
|  
|          rat_expr :=  $\frac{x^3 - y^3}{x^4 - y^4}$   
|> factor(rat_expr);  
|  
|          
$$\frac{x^2 + xy + y^2}{(x+y)(x^2 + y^2)}$$

```

The `expand` Command

```
|> expand((x+1)*(x+2));  
|  
|           $x^2 + 3x + 2$   
|> expand(sin(x+y));  
|  
|           $\sin(x)\cos(y) + \cos(x)\sin(y)$   
|> expand(exp(a+ln(b)));  
|  
|           $e^a b$   
|> expand((x+1)*(y+z), x+1);  
|  
|           $(x+1)y + (x+1)z$ 
```

The convert Command

```
|> convert(cos(x), exp);  
|  
|
$$\frac{1}{2} e^{(Ix)} + \frac{2}{e^{(Ix)}}$$
  
|> convert(exp(x)/2 + exp(-x)/2, trig);  
|  
|
$$\cosh(x)$$
  
|> A := array(1..2, 1..2, [[a,b], [c,d]]);  
|  
|
$$A := \begin{bmatrix} a & b \\ c & d \end{bmatrix}$$
  
|> convert(A, 'listlist');  
|  
|
$$[[a, b], [c, d]]$$
  
|> convert(A, 'set');  
|  
|
$$\{a, b, c, d\}$$
  
|> convert(%, list);  
|  
|
$$[a, b, c, d]$$

```

The normal Command

```
|> rat_expr_2 := (x^2 - y^2) / (x - y)^3;  
|  
|  
|> normal(rat_expr_2);  
|  
|  
|> normal(rat_expr_2, 'expanded');  
|
```

$$\frac{x+y}{(-y+x)^2}$$
$$\frac{x+y}{y^2 - 2xy + x^2}$$

The combine Command

```
|> combine(exp(x)^2*exp(y), exp);  
|  
|> combine((x^a)^2, power);  
|
```

$$e^{(2x+y)}$$
$$x^{(2a)}$$

The `expr := ... combine(expr) ...` example does not work
as advertised in Maple V.5 / Maple 6

The `map` Command

Be careful to "reset" the symbol `f`

```
|> f := 'f';
|                                     f:=f
|> map( f, [a,b,c] );
|                                     [f(a),f(b),f(c)]
|> data_list := [0, Pi/2, 3*Pi/2, 2*Pi];
|                                     data_list := [0, 1/2 π, 3/2 π, 2 π]
|> map(sin,data_list);
|                                     [0, 1, -1, 0]
|> map(f, [a,b,c], x, y);
|                                     [f(a,x,y),f(b,x,y),f(c,x,y)]
|> fcn_list := [sin(x), ln(x), x^2];
|                                     fcn_list := [sin(x), ln(x), x2]
|> map(Diff, fcn_list, x);
|                                     [d/dx sin(x), d/dx ln(x), d/dx x2]
|> map(value, %);
|                                     [cos(x), 1/x, 2 x]
|> map(x->x^2, [-1, 0, 1, 2, 3]);
|                                     [1, 0, 1, 4, 9]
```

The `lhs` and `rhs` Commands

```
||> eqn1 := x+y=z+3;  
||  
||> lhs(eqn1);  
||  
||> rhs(eqn1);  
||
```

The `numer` and `denom` Commands

```
||> numer(3/4);  
||  
||> denom(1/(1+x));  
||
```

The nops and op Commands

```
||> nops(x^2);  
||| 2  
||> nops(x+y);  
||| 2  
||> op(x^2);  
||| x, 2  
||> op(1, x^2);  
||| x  
||> op(2, x^2);  
||| 2  
||> op(1..2, x+y+z+w);  
||| x, y
```

Common Questions about Expression Manipulation

```
> expr := a^3*b^2;
expr :=  $a^3 b^2$ 
> subs (a*b=5, expr);
 $a^3 b^2$ 
> simplify(expr, {a*b=5});
 $25 a$ 
> expr2 := cos(x) * (sec(x) - cos(x));
expr2 :=  $\cos(x)(\sec(x) - \cos(x))$ 
> simplify(%);
 $1 - \cos(x)^2$ 
> simplify(%, {1-cos(x)^2=sin(x)^2});
 $\sin(x)^2$ 
> x^19 - x;
 $x^{19} - x$ 
> factor(%);
 $x(x - 1)(x^2 + x + 1)(x^6 + x^3 + 1)(x + 1)(1 - x + x^2)(1 - x^3 + x^6)$ 
> 2*(x + y);
 $2x + 2y$ 
> expr3 := 2*(x + y);
expr3 :=  $2x + 2y$ 
> subs( 2=two, expr3 );
 $xtwo + ytwo$ 
> factor(%);
two (x + y)
```