

PHYSICS 410

THE 2D ISING MODEL

```

function [E M] = ising2d(n, nt, T)
% ising2d: Simulates 2d Ising model with periodic boundary
% conditions, J = 1.
%
% Inputs
%
%     n:      Lattice size
%     nt:     Number of time steps
%     T:      Vector of temperatures [nT]
%
% Outputs
%
%     E:      Normalized energy [nT x nt]
%     M:      Normalized magnetization [nT x nt]
nT = length(T);
M = zeros(nT,nt);
E = zeros(nT,nt);
lat = randi([0 1],n,n) * 2 - 1;
trace = 100;

for iT = 1 : length(T)
    for it = 1 : nt

```


```
if trace & mod(it,trace) == 0
    fprintf('ising2d: Step %d of %d\n', it, nt);
end
for ii = 1 : n
    for jj = 1 : n
        % Handle periodic boundary conditions ...
        if ii == 1
            iiw = n;
        else
            iiw = ii - 1;
        end
        if ii == n
            iie = 1;
        else
            iie = ii + 1;
        end
        if jj == 1
            jjn = n;
        else
            jjn = jj - 1;
        end
        if jj == n
```

```


        jjs = 1;
    else
        jjs = jj + 1;
    end
    % Compute spin-flip energy cost ...
    Eloc = -lat(ii,jj) * (lat(iiw,jj) + lat(iie,jj) + ...
                        lat(ii,jjs) + lat(ii,jjn));
    E(iT,it) = E(iT,it) + Eloc;
    dE = -2 * Eloc;
    % Monte Carlo step ...
    if dE <= 0
        lat(ii,jj) = -lat(ii,jj);
    elseif rand(1,1) <= exp(-dE/T(iT))
        lat(ii,jj) = -lat(ii,jj);
    end
end
end
    % Compute normalized energy and magnetization ...
    E(iT,it) = E(iT,it) / (2 * n^2);
    M(iT,it) = sum(sum(lat)) / n^2;
end
end
end
end

```


- Magnetization per spin vs discrete time




- Magnetization per spin vs discrete time




- Magnetization per spin vs discrete time




- Magnetization per spin vs discrete time




- Magnetization per spin vs discrete time




- Magnetization per spin vs discrete time




- Magnetization per spin vs discrete time




- Magnetization per spin vs discrete time




- Magnetization per spin vs discrete time




- Energy per spin vs temperature



- Magnetization per spin vs temperature



- Heat capacity per spin vs temperature



- Susceptibility per spin vs temperature

